

Tools for processing of ceramic tiles

HAND TOOLS					
Name	Item No.	Photo	Purpose		
Glass cutter, manufacturer BOHLE	BO 2004.0	Sitterschnitt ()	Aimed for cutting of glass of thickness 2-6 mm		
Quick cutter, manufacturer BOHLE	BO4580.1		Aimed for cutting of sheets large in size, allows to substitute both glass cutter, ruler/triangle and tape		
Glass fracture, manufacturer BOHLE	BO 5008800		Aimed to fracture glass. Especially convenient for breaking strips		



Triangle, manufacturer BOHLE	BO 031.1-BO 038.1		Used for accuracy control while cutting sheets, and for geometry measurement while cutting
RUBI SlimSystemCutter	18911	Cath desiring	System of manual cutting of large-size tiles of thickness from 3 to 8 mm
Angle grinder, Bosch	Bosch GWS 850 CE		Angle grinder is used for cutting and processing. Always with velocity governor
Diamond disk for cutting, manufacturer Hilberg	HM 402		Disk for ceramic granite for tile cutting ultrathin turbo X type 125*8*22,23*1,2



Diamond pad, manufacturer Strong and others	30200100	Diamond flexible grinding polishing pads (disks) Pads for grinding and polishing
Diamond pad attachment, manufacturer Strong	30100100	Attachment for angle grinder for fixing of diamond pads
RUBI MULTIDRILL	50944	Directing tool for sensitive drilling of holes
Diamond drill bit		For drilling of holes of different diameter



SEMIAUTOMATIC TOOLS

RAIMONDI FreeCut	169FC150	H NAMITOCIA	FreeCut - system for cutting of large-sized thin tiles. There is straight (FreeFlexтак) and angled cutting (FreeFlex 45) possible — cut with a diamond disc. Straight cut is also possible with manual cutting unit (glass cutter)
SIGMA		"JOLLY ANGLE" (SKECKRECORD) (CE	JollyAngle — processing of edge, including at a 45-degree angle